

Budget Friendly Meets Big Impact



High Bright Budget DLP Projectors

The ScreenPlay Genesis I Series DLP projectors offer an outstanding price-performance ratio, combining ultra-long lamp life, high brightness, and both digital and analogue connectivity. These projectors are designed for tight budgets, so you don't have to sacrifice image quality or performance.



With the ScreenPlay Genesis I Series, you get the best of both worlds: affordability and great projection capabilities, making it the perfect choice for cost-conscious users who demand excellence.

A versatile choice for the home or business

Full 3D capability for a captivating immersive experience

Industry-leading 15000 hours lamp life

Minimal maintenance with no filter to replace

Enjoy bright, vivid images on any surface with 4000 lumens even in ambient environment

Advanced Digital Correction feature makes getting the perfect image easy

Low latency ensures a smooth and more responsive gaming experience

Fits perfectly in any setting with its sleek minimalist design

Why Choose The ScreenPlay Genesis I Series



ENJOY COST SAVINGS

Industry-leading 15000 hours of lamp life saves you money over time.



ECO-FRIENDLY

Minimal maintenance with no filter to replace means less waste and environmental impact.



LIGHTWEIGHT AND PORTABLE

Its compact and light form makes it portable giving you flexibility for different uses.



24/7 OPERATION

The Genesis I Series is designed for 24/7 operations in standard orientation and is ideal for applications requiring extended projection periods.



ADVANCED DIGITAL IMAGE CORRECTION

With the new digital edge masking and image shift features - we make getting those final image adjustments perfect easy.



DIRECT POWER ON/ DIRECT POWER OFF

Say goodbye to waiting with instant power up/down. It is ready to go on or off whenever you are.



USB-A POWER FOR DEVICES

Power your external devices like Google Chromecast with Amazon TV with the convenient USB-A input on the projector.



FULL 3D

Display 3D content from almost any 3D source, including 3D Blu-ray players and the latest game consoles.



Outstanding 30000:1 Contrast Ratio

Indulge in a vivid, clear visual feast with enhanced image clarity and better details with deeper blacks and brighter whites.



Lower latency for faster response & smoother gameplay

Low latency optimizes your gameplay with faster response time and smoother visual experience.

Genesis I Series Connectivity

- x1 HDMI™ 1.4
- x1 USB-A (5V 1.5A)
- x1 VGA In
- x1 S-Video



- x1 3.5mm Audio In
- x1 3.5mm Audio Out

- Control Keypad
- IR Receiver

- x1 Power
- x1 Kensington Lock



- Lens zoom and
focus IR Receiver



ScreenPlay Genesis I		SP122	SP124	SP126
Image	Projection Technology	TI DLP®	TI DLP®	TI DLP®
	Panel Size	0.55" DMD	0.55" DMD	0.65" DMD
	Native Resolution	SVGA, 800 x 600	XGA, 1024 x 768	WXGA, 1280 x 800
	Aspect Ratio	4:3	4:3	16:10
	Brightness (Lumens)	4000	4000	4000
	Contrast Ratio	30000:1	30000:1	30000:1
	Light Source	UHP Lamp	UHP Lamp	UHP Lamp
	Light Source Max Life (Hours)	15000	15000	15000
	Max. Supported Resolution	1920 x 1200	1920 x 1200	1920 x 1200
	Horizontal Sync. Range (KHz)	15~ 97.55	15~ 97.55	15~ 97.55
	Vertical Sync. Range (KHz)	54 ~ 85	54 ~ 85	54 ~ 85
	Uniformity (%)	80%	80%	80%
Optical	Lens	1.1X	1.1X	1.1X
	Lens Zoom Adjustment	Manual	Manual	Manual
	Image Offset (%)	115%	115%	112.4%
	Focal Length (mm)	21.85~24.01	21.85~24.01	21.85~24.01
	Keystone Adjustment	Manual/Automatic	Manual/Automatic	Manual/Automatic
	Vertical Keystone Adjustment	± 40°	± 40°	± 40°
	Projection Factor	1.94 ~ 2.16:1	1.94 ~ 2.16:1	1.54 ~ 1.72:1
	Projection Distance (Meters/Feet)	1.2 ~ 12.0 / 3.94 ~ 39.36	1.2 ~ 12.0 / 3.94 ~ 39.36	1.0 ~ 10.0 / 3.28 ~ 32.80
	Optical Zoom	1.1:1	1.1:1	1.1:1
	Digital Zoom Demagnification/ Magnification	0.8x ~ 2.0x	0.8x ~ 2.0x	0.8x ~ 2.0x
	Focus Adjustment	Manual	Manual	Manual

General	Product Dimensions (L x W x H) (mm / in)		Operating Humidity (%)	Max Operating Altitude (meters / feet)	Power Supply
	313 x 236 x 96.4/ 12.4 x 9.3 x 3.8		10 ~ 85	3048 / 10000	10 ~ 240 V AC; 50 ~60Hz
	Product Weight (Kilograms / Pounds)		Storage Humidity (%)	Operating Temperature (Celsius / Fahrenheit)	Power Consumption Min / Max (w)
	2.9 / 6.4		10 ~ 85	5 ~ 40 / 41 ~ 104	210 ~ 267
	Packaged Dimensions (L x W x H) (mm / in)		Fan Noise (dB)	Storage Temperature (Celsius / Fahrenheit)	Safety and Regulatory
	395 x 337 x 166/ 15.6 x 13.3 x 6.5		27	-10 ~ 60 / 14 ~ 140	CB, CE, EAC, cTUVus, CCC, FCC, UKCA, NOM, PSB, BIS
	Packaged Weight (Kilograms / Pounds)		Audio (W)	Security	Environmental
	4.1 / 9.0		1 x 10	Kensington Security Slot™, PIN Code Lock & Timer	WEEE, EU RoHS, China RoHS, CEL, CECP

* Product specifications, terms, and offerings are subject to change at any time without notice and may vary between countries. Please check with your local ScreenPlay distributor for more information.

** Actual lamp life may vary based on the environment and projector usage. Conditions that may affect lamp life include temperature, altitude, and air particulate matter etc.

Images shown herein are simulations. ©2024 Maxnerva Technology Services Limited. All rights reserved. ScreenPlay and the ScreenPlay logo are trademarks of Maxnerva Technology Services Limited. All trademarks or the registered trademarks are the property of their respective companies. SCREENPLAY_GENESIS I_DS_EN_VER_3005241